




Zehntner Gloss
ZGM 1120

Portable Precision Glossmeter



Versatile

Measure curved and confined spaces with ease, with reliable and consistent results.



Connected

Plug-and-play connection to your PC with data transmitted directly to the computer.



Ease-of-use

A one-button operation and the ability to measure even very confined surfaces.



Instrument Tech Specs

| | |
|----------------------|--|
| PC Software | Screening Eagle Workspace |
| Display | Connects to computer |
| Memory | Connects to computer |
| Measurement Modes | Single, Continuous |
| Measuring Geometries | 1-angle: 60° 2-angle: 20°/60° 3-angle: 20°/60°/85° |
| Measuring Range | 0 - 2'000 GU |
| Measuring Accuracy | 0 - 199.9 GU: ± 0.1% 200 - 2'000 GU: ± 0.1 % |
| Weight | 60°: 90 g (0.198 lbs) 20°/60°: 96 g (0.212 lbs) 20°/60°/85°: 120 g (0.265 lbs) |
| Battery | USB-powered |

| Standards & Guidelines | Description |
|------------------------|-------------|
| ASTM D2457 | |
| ASTM D523 | |
| BS 3900-D6 | |
| DIN 67530 | |
| Depending on version: | |
| ISO 2813 | |
| JIS Z 8741 | |

SWISS  MADE



Present in +100 countries, we serve inspectors and engineers all over the world with the most comprehensive range of InspectionTech solutions, combining intuitive software and Swiss-manufactured sensors.
www.screeningeagle.com

Request a
quote



Machine translated & automatically generated (English version prevails): 28.08.2025
 Copyright © 2023 Screening Eagle Technologies AG or its affiliates. All rights reserved.

