




## Zehntner Sign Retroreflection **ZRS 6060**

---

Visibility measurement of traffic and road signs and reflective materials

---



### **Versatility**

Superior ergonomics and screen readability, thanks to the adjustable display. Quality-assure the night visibility of traffic signs, safety garments, conspicuity tapes, and other reflective materials.



### **Accuracy**

Intelligent electronics work together with Swiss Made optics to monitor the environment and adjust to stray light. The result is a new benchmark of accuracy and robustness under any conditions in the field.



### **Productivity**

Enrich your measurements with precise geolocation and high-resolution images. The user-friendly and intuitive analysis software makes comprehensive reports possible quickly and with ease.



## Instrument Tech Specs

<b>Configuration</b>	Innovative options to customize the reflectometer to personal requirements: integrated 5-megapixel camera, WAAS GPS-unit, handles and many more
<b>Technology</b>	LED illumination system 3.5" colour touchscreen with adjustable display inclination for excellent visibility under all light conditions Measurement of three different observation angles at the same time
<b>Display</b>	3.5" colour TFT (LCD), LED backlight, HVGA resolution
<b>Memory</b>	Internal flash memory of 1 GB ≈ 1'000'000 measurements without pictures
<b>Connections</b>	Host USB (type A, Client Mini USB)(type B)
<b>Measuring Range</b>	0 - 2'000 cd·lx <sup>-1</sup> ·m <sup>-2</sup>
<b>Reporting software</b>	Includes mapping and data analysis software MappingTools
<b>Calibration Accuracy</b>	Factory calibration traceable to the independent Swiss Federal Institute of Metrology METAS
<b>Weight</b>	1.9 kg (4.19 lbs) net without options
<b>Battery</b>	Li-Ion 14.4 V / 6.5 Ah
<b>Operating Temperature</b>	-10 to +50°C (14 to +122°F), non condensing

Standards & Guidelines	Description
ASTM E1710-18	Standard Test Method for Measurement of Retroreflective Pavement Marking Materials with CEN-Prescribed Geometry Using a Portable Retroreflectometer
ASTM E1809 (Withdrawn 2010)	
ASTM E2540	
DIN 67520	
ECE 104	ECE 104 is the regulation outlining the technical requirements to approved retroreflective marking tapes for trucks and trailers in Europe. The materials are divided in 3 classes: Class "C": Material...
EN 12899-1	
ISO 20471	
MUTCD	

SWISS  MADE



Present in +100 countries, we serve inspectors and engineers all over the world with the most comprehensive range of InspectionTech solutions, combining intuitive software and Swiss-manufactured sensors.  
[www.screeningeagle.com](http://www.screeningeagle.com)

Request a  
quote



Machine translated & automatically generated (English version prevails): 27.08.2025  
 Copyright © 2023 Screening Eagle Technologies AG or its affiliates. All rights reserved.

