



Proceq Coating and Film Testing

Proceq ZCT 2160

Cross-cut Templet



Ease of Use

Easy to operate



High Quality

Sturdy construction



Diverse

Suitable for smallest substrates



Instrument

Tech Specs

Measurements

Dimensions 1 mm (0.04")
template: 82 x 9.5 x 1 mm (3.23 x 0.37 x 0.04")
Dimensions 2 mm (0.08")
template: 82 x 14.5 x 1 mm (3.23 x 0.57 x 0.04")
Dimensions 3 mm (0.12")
template: 82 x 19.5 x 1 mm (3.23 x 0.77 x 0.04")

Measuring Area

Minimum size of support
1 mm (0.04") templet | 12 x 12 mm (0.47 x 0.47")
2 mm (0.08") templet | 18 x 18 mm (0.71 x 0.71")
3 mm (0.12") templet | 24 x 24 mm (0.94 x 0.94")

Weight

5.6 to 11.8g (0.20 to 0.42 oz), depending on template in use

Our Accessories

Image	PartNumber	Description
	43010986	adhesive tape (43010986) Accessories
	43010907	magnifier (43010907) Accessories
	43010908	brush (43010908) Accessories
	43010909	NT-cutter with 9 mm width of edge (43010909) Cutting Tool

Standards & Guidelines	Description
ASTM D3559 (Depending on used templet)	
ISO 16276-2	
ISO 2409	
Volkswagen TL 226	

SWISS  MADE



Present in +100 countries, we serve inspectors and engineers all over the world with the most comprehensive range of InspectionTech solutions, combining intuitive software and Swiss-manufactured sensors.
www.screeningeagle.com

[Request a quote](#)



Machine translated & automatically generated (English version prevails): 15.01.2026
Copyright © 2023 Screening Eagle Technologies AG or its affiliates. All rights reserved.

