



Proceq Coating and Film Testing

Proceq ZHT 2093

Pocket Hardness Tester




Ease of Use

Easy to handle



Performance

Precise positioning



Versatility




Easily read different forces



Instrument
Tech Specs

Measurements	0.5 mm [0.02"], 0.75 mm [0.03"] and 1.0 mm [0.04"] tip available
Weight	73 g [0.16 lbs]
	3 pressure springs
	White: Forces: 0 - 3N (0 - 0.3 kg), Resolution: 10 g [0.02lbs]
Special Features	Blue: Forces: 0 - 10N (0 - 1 kg), Resolution: 50 g [0.11lbs]
	Red: Forces: 0 - 20N (0 - 2 kg), Resolution: 100 g [0.22lbs]

Our Accessories

Image	PartNumber	Description
	43010915	1.0 mm [0.04"] tip (43010915) Accessories
	43010916	0.5 mm [0.02"] tip (43010916) Accessories
	43010929	adapter for scratch and mar resistance tests (43010929) Accessories

Standards & Guidelines	Description
DIN 55656	
DIN SPEC 91064	
Volkswagen TL 226	

SWISS  MADE



Present in +100 countries, we serve inspectors and engineers all over the world with the most comprehensive range of InspectionTech solutions, combining intuitive software and Swiss-manufactured sensors.
www.screeningeagle.com

[Request a quote](#)



Machine translated & automatically generated (English version prevails): 08.03.2024
Copyright © 2023 Screening Eagle Technologies AG or its affiliates. All rights reserved.

